

BOSTER BIOLOGICAL TECHNOLOGY

3942 B Valley Ave, Pleasanton, CA 94566

Phone: 888-466-3604 Fax: 925-215-2184 Email:support@bosterbio.com Web: www.bosterbio.com

Anti-IL6 Antibody Picoband™

Catalog Number: A00102-2

About II6

Interleukin-6 (IL-6) is a protein that in humans is encoded by the IL6 gene. IL-6 is an interleukin that acts as both a pro-inflammatory and anti-inflammatory cytokine. It is secreted by T cells and macrophages to stimulate immune response to trauma, especially burns or other tissue damage leading to inflammation. IL-6 is one of the most important mediators of fever and of the acute phase response. IL-6 is also essential for hybridoma growth and is found in many supplemental cloning media such as briclone. By in situ hybridization and Southern blot analysis of mouse-human hybrid cell lines, the IL6 gene is mapped to chromosome 7p15.

Overview

Product Name	Anti-IL6 Antibody Picoband™
Reactive Species	Mouse, Rat
Description	Boster Bio Anti-IL6 Antibody Picoband™ catalog # A00102-2. Tested in ELISA, WB applications. This antibody reacts with Mouse, Rat.
Application	ELISA, WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P20607

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence of rat IL6 (KTIQLILKALEEFLKVTMRSTRQT).
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross reactivity with other proteins.



Phone: 888-466-3604

BOSTER BIOLOGICAL TECHNOLOGY

3942 B Valley Ave, Pleasanton, CA 94566

Web: www.bosterbio.com

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 μg/ml.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used Western blot, 0.1-0.5µg/ml ELISA (Cap), 1-5µg/ml

Email:support@bosterbio.com

For protocols please visit https://www.bosterbio.com/protocol-and-troubleshooting/

Anti-IL6 Antibody Picoband™ (A00102-2) Images

Fax: 925-215-2184




Figure 1. Western blot analysis of IL6 using anti-IL6 antibody (A00102-2).

Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.

Lane 1: rat heart tissue lysate, Lane 2: mouse heart tissue lysate.

After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-IL6 antigen affinity purified polyclonal antibody (Catalog # A00102-2) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for IL6 at approximately 24KD. The expected band size for IL6 is at 24KD.

26 Publications Citing This Product

- 1. PubMed ID: 33316740, Tan J,Luo J,Meng C,Jiang N,Cao J,Zhao J. Syringin exerts neuroprotective effects in a rat model of cerebral ischemia through the FOXO3a/NF-?B pathway. Int Immunopharmacol.2020 Dec 11;90:107268.doi:10.1016/j. intimp.2020.107268.Epub ahead of print.PMID:333
- 2. PubMed ID: 28239811, The expression and significance of IL-6, IFN-%u03B3, SM22%u03B1, and MMP-2 in rat model of aortic dissection



BOSTER BIOLOGICAL TECHNOLOGY

3942 B Valley Ave, Pleasanton, CA 94566

Phone: 888-466-3604 Fax: 925-215-2184 Email:support@bosterbio.com Web: www.bosterbio.com

3. PubMed ID: 29862173, Transfection with CXCR4 potentiates homing of mesenchymal stem cells in vitro and therapy of diabetic retinopathy in vivo

Visit bosterbio.com/anti-il6-picoband-trade-antibody-a00102-2-boster.html to see all 26 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.